	Application No.	Applicant(s)
Notice of Allowability	10/664,944	BROCKEL ET AL.
	Examiner	Art Unit
	Marc Jimenez	3726
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. X This communication is responsive to the amendment filed	<u>5-10-06</u> .	
2. ☑ The allowed claim(s) is/are <u>1,2 and 4-14</u> .		
 Acknowledgment is made of a claim for foreign priority un a) All b) Come* c) None of the: 1. Certified copies of the priority documents have 		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" on noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submi INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or NOTICE OF ation is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date	•	,
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawin ne header according to 37 CFR 1.121(ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		• .
AM l M . l		
Attachment(s) 1. □ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	(PTO-413),
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dai 8), 7. ⊠ Examiner's Amendr	te ment/Comment
Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	./ ^ -
	5. <u></u> .	Marc Jimenez, Primary Examiner Art Unit: 3728

Application/Control Number: 10/664,944 Page 2

Art Unit: 3726

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 4 (Currently Amended): "claim 3" has been changed to - - claim 1 - -.

Claim 5 (Currently Amended): "claim 3" has been changed to - - claim 1 - -.

Note that claim 3 was canceled in the amendment filed 5-10-06.

2. The following is an examiner's statement of reasons for allowance:

Applicant's amendments to the claims and applicant's arguments, especially on pages 8-9 overcome the rejections applied in the last office action. Applicant has clarified that the two machining steps are performed by a first rotating work tool and a second linear work tool as recited in claim 1 and described on page 8, lines 15-18 of the response filed 5-10-06. It is noted that the secondary reference (Fujikawa) applied in the last office action teaches two linear work tools and no rotating work tool. In addition, Fujikawa makes holes in a flat plate rather than a cylindrical wall as claimed. Therefore, the combination of features found in claim 1 overcomes the prior art rejections.

Application/Control Number: 10/664,944

Art Unit: 3726

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

- 3. Claim 1 is allowable. Claims 4-5, previously withdrawn from consideration as a result of a restriction requirement, include all the limitations of an allowable claim. Pursuant to the procedures set forth in MPEP § 821.04(a), the restriction requirement between inventions identified as species A-C, as set forth in the Office action mailed on 11-2-05, is hereby withdrawn and claims 4-5 are hereby rejoined and fully examined for patentability under 37 CFR 1.104. In view of the withdrawal of the restriction requirement, applicant(s) are advised that if any claim(s) including all the limitations of an allowable claim is presented in a continuation or divisional application, such claims may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Once the restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re* Ziegler, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marc Jimenez whose telephone number is (571) 272-4530. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Bryant can be reached on (571) 272-4526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/664,944

Art Unit: 3726

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-372-1000.

Marc Jimenez, Primary Examiner

Art Unit 3720

MJ 5-24-06